



# 150Mbps Wireless N Nano USB Adapter

The Smallest 150Mbps Wi-Fi Adapter

TL-WN725N



150Mbps Wi-Fi



Nano Design




USB 2.0

# Highlights

## N150 Stability for Your Daily Needs

The TL-WN725N reaches speed of up to 150Mbps, ideal for surfing, emailing and posting social media.



TL-WN725N

Router


## A Tiny Wi-Fi Wonder

Almost unnoticeably small, enjoy stable Wi-Fi wherever you need it.



18.6mm

&



65mm

# Features



## Speed

- Fast Wi-Fi – Great for surfing, emailing and posting social media



## Design

- Sleek miniature design – The adapter is so small that once plugged in, can be left in a computer's USB port



## Ease of Use

- Backward Compatibility – Supports routers utilizing 802.11b and 802.11g Wi-Fi standards



## Security

- Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats

# Specifications

## Wireless


- Wireless Standard: IEEE 802.11b/g/n
- Frequency: 2.4GHz
- Wireless Mode: Ad-Hoc / Infrastructure Mode
- Wireless Security: WEP, WPA/WPA2, WPA-PSK/ WPA2-PSK
- Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM

## Hardware

- Interface: USB 2.0
- Antenna: Internal antenna
- LED: Status
- Dimensions: 0.73 × 0.59 × 0.28 in (18.6 × 15 × 7.1 mm)

## Others

- Package Contents
  - 150Mbps Wireless N Nano USB Adapter TL-WN725N
  - Quick Installation Guide
  - Resource CD
- Certification
  - FCC, CE, RoHS
- System Requirements
  - Windows 10/8.1/8/7/XP/Vista, Mac OS X 10.9-10.13, Linux
- Environment
  - Operating Temperature: 0°C~40°C (32°F ~104°F)
  - Storage Temperature: -40°C~70°C (-40°F ~158°F)
  - Operating Humidity: 10%~90% non-condensing
  - Storage Humidity: 5%~90% non-condensing



For more information, please visit

<http://www.tp-link.com/products/details/TL-WN725N.html>

or scan the QR code left

©2018 TP-Link

\*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

\*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at [tp-link.com/en/download-center](http://tp-link.com/en/download-center).

[www.tp-link.com](http://www.tp-link.com)